Causation

If we have high correlation, we'd like to determine causation.

Causation

If we have high correlation, we'd like to determine causation.

To visually represent the direction of causality between variables, use arrows. For example, if x causes y, we draw an arrow from x to y.

Causation

If we have high correlation, we'd like to determine causation.

To visually represent the direction of causality between variables, use arrows. For example, if x causes y, we draw an arrow from x to y.

The ways in which two variables may have strong correlation are:

- I. Simple Causality (x) (y)
- II. Reverse Causality (x) (y)
- III. Mutual Causality (x)
- IV. Hidden/Confounding Variable

V. Complete Accident/Coincidence (x) (

I. Simple Causality $\left(v \right)$

We say that variables x and y are related by **simple causality** if the level of x determines the level of y.

I. Simple Causality (x)

We say that variables x and y are related by **simple causality** if the level of x determines the level of y.

Example 2 (pp. 171–173): High blood pressure. There is high correlation in the plot of blood pressure vs. deaths from heart disease.

I. Simple Causality (x)

We say that variables x and y are related by **simple causality** if the level of x determines the level of y.

Example 2 (pp. 171–173): High blood pressure. There is high correlation in the plot of blood pressure vs. deaths from heart disease. A chain of causation argues for simple causality:

high blood pressure \rightarrow arteries clog \rightarrow lack of oxygen in heart \rightarrow heart disease


I. Simple Causality (x)

We say that variables x and y are related by simple causality if the level of x determines the level of y.

Example 2 (pp. 171–173): High blood pressure. There is high correlation in the plot of blood pressure vs. deaths from heart disease. A chain of causation argues for simple causality:

high blood pressure \rightarrow arteries clog \rightarrow lack of oxygen in heart \rightarrow heart disease

Many factors have been determined that increase the chance for heart disease.



II. Reverse Causality (x)(y)

We say that variables x and y are related by **reverse causality** if the level of x is determined by the level of y.



We say that variables x and y are related by **reverse causality** if the level of x is determined by the level of y.

Example. Islanders in South Pacific found a correlation between health and body lice.

Healthy people had body lice and sick people didn't.






We say that variables x and y are related by **reverse causality** if the level of x is determined by the level of y.

Example. Islanders in South Pacific found a correlation between health and body lice.

Healthy people had body lice and sick people didn't.

Hence: More body lice means better health.



II. Reverse Causality (x) - (y)


We say that variables x and y are related by **reverse causality** if the level of x is determined by the level of y.

Example. Islanders in South Pacific found a correlation between health and body lice.

Healthy people had body lice and sick people didn't.

Hence: More body lice means better health.

However, everyone had lice. Lice just preferred healthy hosts.



II. Reverse Causality (x) - (y)

We say that variables x and y are related by **reverse causality** if the level of x is determined by the level of y.

Example. Islanders in South Pacific found a correlation between health and body lice.

Healthy people had body lice and sick people didn't.

Hence: More body lice means better health.

However, everyone had lice. Lice just preferred healthy hosts.

Example. Human birth rate and stork population:

Storks bring babies.



III. Mutual Causality (x)

We say that variables x and y are related by **mutual causality** if changes in x produce changes in y and vice versa.

III. Mutual Causality

We say that variables x and y are related by **mutual causality** if changes in x produce changes in y and vice versa.

Example. Car dealers.

There is a strong correlation between Dealer car sales and Dealer advertising budget.

III. Mutual Causality (x)

We say that variables x and y are related by **mutual causality** if changes in x produce changes in y and vice versa.

Example. Car dealers.

There is a strong correlation between Dealer car sales and Dealer advertising budget.

Do car sales pay for advertising or does advertising drive sales?

III. Mutual Causality (x)

We say that variables x and y are related by **mutual causality** if changes in x produce changes in y and vice versa.

Example. Car dealers.

There is a strong correlation between Dealer car sales and Dealer advertising budget.

Do car sales pay for advertising or does advertising drive sales?

These are mutually reinforcing. This is an example of mutual causality.




We say that x and y are in a **spurious relationship** if the levels of both x and y are determined by the level of a **confounding variable** z.

IV. Hidden/Confounding Variable



We say that x and y are in a **spurious relationship** if the levels of both x and y are determined by the level of a **confounding variable** z.

Example. In a city, the number of churches there are is highly correlated with the number of liquor stores.




IV. Hidden/Confounding Variable



We say that x and y are in a **spurious relationship** if the levels of both x and y are determined by the level of a **confounding variable** z.

Example. In a city, the number of churches there are is highly correlated with the number of liquor stores.

Simple causation would imply:




IV. Hidden/Confounding Variable

We say that x and y are in a **spurious relationship** if the levels of both x and y are determined by the level of a **confounding variable** z.

Example. In a city, the number of churches there are is highly correlated with the number of liquor stores.

- Simple causation would imply:
- ▶ Reverse causation would imply:






IV. Hidden/Confounding Variable

We say that x and y are in a **spurious relationship** if the levels of both x and y are determined by the level of a **confounding variable** z.

Example. In a city, the number of churches there are is highly correlated with the number of liquor stores.

- Simple causation would imply:
- ▶ Reverse causation would imply:

In this instance, there is a confounding variable:





V. Complete Accident/Coincidence (x) (y)

If none of the above four cases apply, x and y are unrelated.

V. Complete Accident/Coincidence (x) (y)

If none of the above four cases apply, x and y are unrelated.


Take two dice. Roll each five times. Plot the value of one die versus the value of the other die for the five rolls. Often there will be no correlation.

V. Complete Accident/Coincidence (x) (y)

If none of the above four cases apply, x and y are unrelated.

Take two dice. Roll each five times. Plot the value of one die versus the value of the other die for the five rolls. Often there will be no correlation.

One instance of correlation occurred, with an R^2 of 0.672 (relatively high!)




V. Complete Accident/Coincidence (x) (y)

If none of the above four cases apply, x and y are unrelated.

Take two dice. Roll each five times. Plot the value of one die versus the value of the other die for the five rolls. Often there will be no correlation.

One instance of correlation occurred, with an R^2 of 0.672 (relatively high!)

An example of a correlation by coincidence.



V. Complete Accident/Coincidence (x) (y)


If none of the above four cases apply, x and y are unrelated.

Take two dice. Roll each five times. Plot the value of one die versus the value of the other die for the five rolls. Often there will be no correlation.

One instance of correlation occurred, with an R^2 of 0.672 (relatively high!)

An example of a correlation by coincidence.

Example. Perhaps with students and SSN's?



V. Complete Accident/Coincidence (x) (y)

If none of the above four cases apply, x and y are unrelated.


Take two dice. Roll each five times. Plot the value of one die versus the value of the other die for the five rolls. Often there will be no correlation.

One instance of correlation occurred, with an R^2 of 0.672 (relatively high!)

An example of a correlation by coincidence.

Example. Perhaps with students and SSN's?

 The chance of this occurring decreases as more observations are taken.




Correlation does not imply causation!

Groupwork: Justify the correlations between the following variables:

- ► As ice cream sales increase, the rate of drowning deaths increase.
- ▶ The more firemen fighting the fire, the larger the fire grows.
- ▶ With fewer pirates on the open seas, global warming has increased.
- ▶ The more people in my Facebook group, the faster it grows.

What is the joke below?



Source: http://xkcd.com/552/