

Degrees of Categoricity of Algebraic Fields

Russell Miller,
Queens College &
Graduate Center – CUNY

October 1, 2008

MIT Logic Seminar

Computable Categoricity

Defn.: A computable structure \mathcal{A} is *computably categorical* if for each computable $\mathcal{B} \cong \mathcal{A}$ there is a computable isomorphism from \mathcal{A} to \mathcal{B} .

Examples: (Dzgoev, Goncharov; Remmel; Lempp, McCoy, M., Solomon)

- A linear order is computably categorical iff it has only finitely many adjacencies.
- A Boolean algebra is computably categorical iff it has only finitely many atoms.
- An ordered Abelian group is computably categorical iff it has finite rank (\equiv basis as \mathbb{Z} -module).
- For trees, the known criterion is recursive in the height and not easily stated!

***d*-Computable Categoricity**

Defn.: For any Turing degree \mathbf{d} , a computable structure \mathcal{A} is *\mathbf{d} -computably categorical* if for each computable $\mathcal{B} \cong \mathcal{A}$ there is a \mathbf{d} -computable isomorphism from \mathcal{A} to \mathcal{B} .

Example: $(\omega, <)$ is $\mathbf{0}'$ -computably categorical, although not computably categorical.

Defn.: The *categoricity spectrum* of \mathcal{A} is the set of all \mathbf{d} such that \mathcal{A} is \mathbf{d} -computably categorical. The least such degree (if any) is the *degree of categoricity* of \mathcal{A} .

Fields

Defn.: The *splitting set* of a field F is

$$\{p(X) \in F[X] : \exists q_0, q_1 \in F[X](q_0 \cdot q_1 = p)\}.$$

Facts:

1. The splitting set is Turing-equivalent to the *root set*

$$\{p(X) \in F[X] : (\exists a \in F)p(a) = 0\}.$$

2. For computable algebraic fields $F_0 \cong F_1$, the splitting sets are Turing-equivalent.

Proofs of these facts use **Rabin's Theorem:** A computable field F has a splitting algorithm iff F has a computable embedding with computable image in a computable presentation of \overline{F} .

Negative Results

Theorem: There exists a computable algebraic field F which is not computably categorical, yet has computable splitting set.

First idea: Build computable fields $F \cong \tilde{F}$ with all cube roots of all primes p_e . If $\varphi_{e,s}(\sqrt[3]{p_e}) \downarrow = y$ with $y^3 = \tilde{p}_e$ in \tilde{F} , we adjoin a p -th root of $\sqrt[3]{p_e}$ in F and a p -th root of a cube root $\neq y$ in \tilde{F} .

- Choose $p > s$ to ensure that F has computable splitting set.
- Always use distinct primes $p > 3$: adjoining a p -th root cannot cause any extraneous q -th roots to appear, for prime $q \neq p$.

Problem: Adding a p -th root of $\sqrt[3]{p_e}$ puts a p -th root of every cube root of p_e into F !

Solution to Problem

Theorem: Let p and d be odd primes, with $F = \mathbb{Q}[\sqrt{p}]$, and let $\sigma(\sqrt{p}) = -\sqrt{p}$. Then there exists a polynomial $h(X) \in F[X]$ of degree d , with image $h^-(X) \in F[X]$ under σ , such that:

- each of the splitting fields K and K^- of h and h^- over F has Galois group S_d over F ; and
- the splitting field of h over K^- also has Galois group S_d , as does the splitting field of h^- over K .

So, when $\varphi_e(\sqrt{p_e}) \downarrow = \sqrt{\tilde{p}_e}$, we can adjoin a root of $h(X)$ in F and a root of $\tilde{h}^-(X)$ in \tilde{F} .

In fact, this gives us more power:

Theorem: There exists a computable algebraic field F which is not even \emptyset' -computably categorical.

F Not $0'$ -Categorical

Build computable fields $F \cong \tilde{F}$ so that $(\forall e)$

$f(x) = \lim_s \varphi_e(x, s)$ is not an isomorphism.

Basic module for φ_e : Adjoin $\pm\sqrt{p_e}$ to F and \tilde{F} .

- While $\varphi_e(\sqrt{p_e}, s) \neq \pm\sqrt{\tilde{p}_e}$, do nothing.
- If $\varphi_e(\sqrt{p_e}, s) = \sqrt{\tilde{p}_e}$, then adjoin a root of an $h(X)$ to F , and a root of $\tilde{h}^-(X)$ to \tilde{F} .
- If later $\varphi_e(\sqrt{p_e}, s') = -\sqrt{\tilde{p}_e}$, then adjoin a root of $h^-(X)$ to F , and a root of $\tilde{h}(X)$ to \tilde{F} . Find a new $h(X)$ for $\sqrt{p_e}$, and do the reverse.

So if $\lim_s \varphi_e(\sqrt{p_e}, s)$ converges, then it chooses the wrong value.

And if $\lim_s \varphi_e(\sqrt{p_e}, s)$ diverges, then we satisfy the requirement and still have $F \cong \tilde{F}$.

Isomorphisms as Paths

Let $F = \{x_0, x_1, \dots\}$. Find the minimal polynomial $q_i(X_i)$ of x_i over $\mathbb{Q}[x_0, \dots, x_{i-1}]$. Write $p_i(x_0, \dots, x_{i-1}, X_i) = q_i(X_i)$ with $p_i \in \mathbb{Q}[\vec{X}]$.

Defn.: The *isomorphism tree* $I_{F, \tilde{F}}$ is

$$\{\sigma \in \tilde{F}^n : (\forall i < n) p_{i-1}(\sigma(0), \dots, \sigma(i-1)) = 0\}.$$

So each $\sigma \in I_{F, \tilde{F}}$ defines a partial isomorphism $F \rightarrow \tilde{F}$. Paths through $I_{F, \tilde{F}}$ correspond to (total) isomorphisms.

Low Basis Theorem

Theorem (Jockusch-Soare): If T is a computable subset of $\omega^{<\omega}$ which forms a finite-branching infinite subtree, and

$$s(\sigma) = |\{\text{immediate successors of } \sigma \text{ in } T\}|$$

has degree \mathbf{s} , then there is a path f through T with $f' \leq_T \mathbf{s}'$.

(Such a path f is said to be *low relative to \mathbf{s}* .)

Indeed, for any fixed \mathbf{s} , there is a single degree \mathbf{t} with $\mathbf{t}' \leq_T \mathbf{s}'$ which computes a path through *every* such tree.

d -Computable Categoricity

Recall: from the splitting set of F , we can compute the number of roots of $p_i(\sigma(0), \dots, \sigma(i-1), X_i)$ in \tilde{F} .

Theorem: If F is a computable algebraic field with splitting set S , then F is \mathbf{d} -computably categorical for some Turing degree \mathbf{d} with $\mathbf{d}' \leq_T S'$.

Corollary: Every computable algebraic field with computable splitting set is \mathbf{d} -computably categorical for some low Turing degree \mathbf{d} , indeed for any PA-degree. (A *PA-degree* is the degree of a complete extension of Peano arithmetic.)

Corollary: Every computable algebraic field is \mathbf{d} -computably categorical for some Turing degree \mathbf{d} with $\mathbf{d}' \leq_T \mathbf{0}''$, indeed for any PA-degree relative to $\mathbf{0}'$.

Degree of Categoricity I

Fact (Jockusch-Soare): Every nonempty Π_1^0 -class contains paths of degrees \mathbf{c} , \mathbf{d} with $\mathbf{c} \wedge \mathbf{d} = \mathbf{0}$.

Proposition: A computable algebraic field with splitting set S can only have degree of categoricity $\leq_T \deg(S)$.

Corollary: A computable algebraic field with computable splitting set cannot have nonzero degree of categoricity.

Degree of Categoricity II

Theorem (Fokina-M.): For c.e. degrees \mathbf{c} and \mathbf{d} , we have $\mathbf{c} \leq_T \mathbf{d}$ iff there exists a computable algebraic field F with degree of categoricity \mathbf{c} and splitting set of degree \mathbf{d} .

Proof: Code a c.e. set $C \in \mathbf{c}$ into all isomorphisms between F and \tilde{F} , by forcing $\sqrt{p_{2e}} \mapsto \sqrt{\tilde{p}_{2e}}$ iff $e \in C$. Code $D \in \mathbf{d}$ into the splitting set by adjoining the square roots of p_{2e+1} when/if e enters D .

Extending the Results

Theorem: All d -computable categoricities so far are *uniform*. The same holds for computable fields of characteristic p algebraic over F_p .

- When the field has positive finite transcendence degree over \mathbb{Q} , the results still hold, but uniformity fails.
- In characteristic p , the results hold (non-uniformly) for *separable* algebraic extensions of $F_p(X_1, \dots, X_n)$.
- For non-separable algebraic extensions of $F_p(X_1, \dots, X_n)$, these questions remain open.
- Can the same use of trees be applied to other computable algebraic structures?